

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor: James S. Neumiller Confirmation No. 8831
Serial No.: 10/056,554
Filed: January 23, 2002 Customer No.:
Examiner: Aaron D. Matthew Group Art Unit: 2114
Docket No.: 1074-086US01/PB9956.00
Title: HAZARD MITIGATION IN MEDICAL DEVICE

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
Alexandria, VA 22313-1450


Sir:

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. A copy of the text of the Certificate in the suggested form is enclosed.

- ☒ As some of the errors listed are due to Applicant's mistake, please charge Deposit Account number 50-1778 in the amount of \$100.00 to cover the Certificate fee.
- ☐ As none of the errors listed is due to Applicant's mistake, no fee is necessary in connection with this Certificate.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims, and re-examination is not required.

Date: August 4, 2010
SHUMAKER & SIEFFERT, P.A.
1625 Radio Drive, Suite 300
Woodbury, Minnesota 55125
Telephone: 651.286.8350
Facsimile: 651.735.1102

By: 
Name: Jason D. Kelly
Reg. No.: 54,213

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,957,368

Page 1 of 1

APPLICATION NO.: 10/056,554

ISSUE DATE : October 18, 2005

INVENTOR(S) : James S. Neumiller, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 9, line 9, in claim 2, before "handshake" insert - - first - -.

In column 10, line 4, in claim 14, delete "claim 1," and insert - - claim 12, - -, therefor.

In column 10, line 15, in claim 15, delete "claim 1," and insert - - claim 12, - -, therefor.

In column 10, line 32, in claim 16, before "watchdog" delete "first".

In column 10, line 43, in claim 17, before "watchdog" delete "first".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Shumaker & Sieffert, P.A., 1625 Radio Drive, Suite 300, Woodbury, MN 55125

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2